<u>'</u>			
	Application No.	Applicant(s)	5
Notice of Allowability	10/072,106 Examiner	TURGEON-SCHRAI	MM ET AL. /
riolioo or rinowabinty	Examiner		
	Korie H. Chan	3632	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to telephone communication of November 5,2004.			
2. The allowed claim(s) is/are <u>1,5,9-12 and 14-19</u> .			
3. The drawings filed on 2/8/2002 are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☑ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te <u>attached</u> . ment/Comment	·

Application/Control Number: 10/072,106

Art Unit: 3632

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James Larson on November 5, 2004.

The application has been amended as follows:

Claim 2 has been cancelled.

Claim 1, line 13, after "front wall, ", the following has been inserted -- wherein said rear wall is greater in height than the front wall, and wherein said front and rear walls of said channel diverge from the bottom of said channel to the top of said channel, whereby said channel has an increasing width from bottom to top, --

The following is an examiner's statement of reasons for allowance: The prior art of record alone or in combination fail to disclose a corner block as claimed having particularly the rear wall is greater in height than the front wall, and wherein the front and rear walls of the channel diverge from the bottom of the channel to the top of the channel, whereby the channel has an increasing width from bottom to top, and the degree of texture of the side surface and end surface being greater than the degree of texturing of the top surface; and a retaining wall as claimed and having particularly the exterior corner of each course is formed by a plurality of subcourse blocks of the first

Art Unit: 3632

plurality of blocks and for each course the subcourse blocks are arranged into first and second subcourses that have a combined height that is substantially equal to the first height of the second block as recited in claims 9 and 19, or having the first plurality of blocks has a second height that is less than the first height with a reinforcement bar disposed within the channels in the second plurality of blocks and with the channel of a first block as recited in claim 10.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Korie H. Chan whose telephone number is 703-305-8079. The examiner can normally be reached on Mondays and Tuesdays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on 703-308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Korie H. Chan Primary Examiner Art Unit 3632

khc

November 5, 2004